

JetBLACK SAFETY




PERSONNEL CLEANING BOOTHS

If you have employees moving between dusty work areas to clean-zones, the installation of a JetBlack Safety Personnel Cleaning Booth will allow them to quickly and safely remove residue dust, powder or contaminant from all PPE and work-wear clothing.

The Personnel Cleaning Booth is guaranteed to meet or exceed OSHA requirements. It operates by utilising high-velocity, low-pressure air that is effective in dislodging all materials from clothing and much easier to use than alternative vacuum systems.

More importantly it is completely safe and avoids many of the issues associated with compressed air which has the potential to be very dangerous in this type of application due to the high air pressures involved.

For further information, please refer to our 'Dangers of Compressed Air' fact sheet.



PERSONNEL CLEANING BOOTHS

Simple by Design:

Within a 20-30 second time frame, workers can enter the cleaning booth door, operate and clean-down. The combination of the air-shower effect and the integrated JetBlack enables the air-flow to dislodge dust present on the operator, which is subsequently captured and filtered by a stand-alone cyclone extraction unit.

Extraction Options:

Two extraction options are available with the Personnel Cleaning Booth.

1. Stand-alone Cyclone Extractor:

This is a mobile cyclone dust extractor capable of handling most types of dusts. Quiet in operation, it features automatic filter cleaning providing consistent airflow and unrivalled performance. The extractor features a HEPA H14 filter as standard and dust is collected in a plastic bag for easy disposal.

Features include:

- Motor Power 1.5kW (1Ph, 230V, 50Hz as standard)
- 1,600m³/hr air flow performance (12 air changes/min)
- Supplied with HEPA H14 polyester cartridge filter, plastic collection bag and heavy duty impeller
- Automatic filter cleaning for consistent performance
- Low noise levels 74dB(A) @ 3m
- Filter cartridge captures > 99.995% of dust 0.3 micrometers (µm) in diameter

2. Extraction Fan Unit:

Where an existing dust extraction system may already be installed, we can offer a powerful centrifugal fan unit.

Features include:

- Motor Power 1.1kW (5Hp)
- 1 or 3Ph with a range of voltages available
- 1500m³/hr air flow performance
- Additional ducting can be supplied if required
- Please note- no filtration is supplied with this option

Key Features:

- Safe and easy to operate/maintain
- Modular construction
- Powerful 'air shower' effect
- Incorporates a JetBlack Safety Cleaning Station
- Includes option of stand-alone Cyclone Extractor
- Indoor/Outdoor and walk through options
- HEPA H14 filter as standard

Typical Applications:

- Quarrying / Stone / Aggregate facilities
- Fibre moulding / Materials / Textile production
- Construction sites





How does the Personnel Cleaning Booth operate?


Step 1: Upon entering the booth, the interior light and cyclone extractor will automatically turn-on.

Step 2: Air is immediately drawn through the holes in the roof of the booth, creating an air-shower effect.


Step 3: To begin removing dust and contamination from clothing, the Cleaning Station needs to be switched on via the touch-switch. (This is pre-set to run for 30 seconds.)

Step 4: Any displaced dust is drawn down to the floor grille, extracted by a vacuum effect and collected by the dust extractor where it can be disposed of, or alternatively recycled.

Outline Drawing - Internal Booth version:



Outline Drawing - External Booth version:



Air Control Industries LTD T/A JetBlack Safety

Weycroft Avenue, Millwey Rise Industrial Estate,
Axminster, Devon, EX13 5HU, United Kingdom
Tel: +44(0)1297 529242 Fax: +44(0)1297 529241
Email: sales@aircontrolindustries.com

Air Control Industries Inc T/A JetBlack Safety

76 Augusta Rockland Road
Windsor, Maine, ME 04363, United States
Tel: +1 (207) 445 2518 Fax: +1 (207) 445 2497
Email: inquiries@aci-inc.com